

TFS 8000 Option list
(date of issue 12/8/19)

Part Code	Description
TFS-OPT1D	Four flush mounted container twist locks to suit 20' container (Includes container alignment guides)
TFS-OPT1E	Four flush mounted container twist locks, LOCKABLE IN UP POSITION for ease of crane loading (Includes container alignment guides)
TFS-OPT1F	Container pusher/puller cylinder
TFS-OPT1F-PUSH	Container pusher only cylinder
TFS-OPT1G	Extra wear strips for containers to slide on
TFS-OPT1H	Keyhole slots in floor plate, laser-cut or weld in plates (Price per keyhole slot)
TFS-OPT1I-35	TFS-8+ Snigging pulley (35mm) for loading damaged vehicle, with 7 sockets in floor
TFS-OPT1J	High headboard with light rack fitted with Hella Jumbo -S stop/tail/indicator lights
TFS-OPT1K	Standard size ECONOMY lockable chain boxes
TFS-OPT1K-P1	Standard size Waterproof lockable chain boxes
TFS-OPT1K-P2-A20	Premium Large Waterproof lockable chain boxes - to suit TFS8000+
TFS-OPT1K-P2-A20-S	Premium Large Waterproof lockable chain boxes WITH SIDE DOORS - to suit TFS8000 +
TFS-OPT1L	50mm tow ball on bracket above winch to secure caravans/trailers
TFS-OPT1L-HR	Hayman Reece style bracket above winch (includes 3.51t rated tongue fitted with 50mm tow ball) to secure caravans/trailers
TFS-OPT1L-PH	Pintle Hook/Ball combination mounted on bracket above winch to secure trailers
TFS-OPT1M	Quick-Lash tie down system, front and rear, installed
TFS-OPT1M-RS	Rear ONLY Quick-Lash tie down system (soft ended chokers), installed
TFS-OPT1M-S	Storage mounts for Quick-Lash tie down chocks, installed
TFS-OPT1O	23L plastic water reservoir, c/w tap & soap dispenser, mounted on headboard
TFS-OPT1P-6/8	Auto folding tail light bar (suitable for TFS 6000/8000)
TFS-OPT1R	60L plastic water reservoir, c/w tap & soap dispenser, mounted on chassis
TFS-OPT1S-1	Headboard mounted SINGLE spare wheel carrier (excludes Davit Hoist)

EKEBOL

Tough - Reliable - Built to Last

Part Code	Description
TFS-OPT1S-D1	Davit Hoist to suit SINGLE spare wheel carrier
TFS-OPT2B	Electric throttle control (in conjunction with OEM idle up controls)
TFS-OPT2B-H	Hydraulic throttle control (in conjunction with OEM idle up controls)
TFS-OPT2B-ISUZU	Electric throttle control (in conjunction with OEM idle up controls)
TFS-OPT2D-3	Dual hydraulic controls at rear on each side of vehicle (3 function)
TFS-OPT2D-5	Dual hydraulic controls at rear on each side of vehicle (5 function)
TFS-OPT2E	Radio remote control for winch function only
TFS-OPT2E-L	Next Generation (LODAR) Radio remote control for winch function only
TFS-OPT2F	Radio remote control for winch/tilt and slide functions
TFS-OPT2F-CUSTOM	Radio remote control (CUSTOMER SUPPLIED CONTROLLER) for winch/tilt and slide functions
TFS-OPT2F-L	Next Generation LODAR Radio remote control for winch/tilt and slide functions
TFS-OPT2F-L10	Next Generation LODAR Radio remote control for winch/tilt,slide plus wheel-lift up/down/in/out functions.
TFS-OPT3B	Upgrade wire rope from eye only to factory fitted with Latch-Loc safety hook
TFS-OPT3C	Upgrade wire rope from eye only to factory fitted with swiveling Latch-Loc safety hook
TFS-OPT3F-8-A20	Vertical guide rollers for winch drum TFS 8000 with APE 20 winch
TFS-OPT3G	Wire rope controller to prevent uncoiling of rope without load
TFS-OPT3H-8	Removable 3 roller fairlead on rear of body to suit TFS-8000 (2 sockets provided)
TFS-OPT4A-1500B	ECCO 12 + Series Vantage light bar 1520mm Wide (60") with advanced in cab controller. 16 Flash modules, Alley lights, Work lights and Integrated safety director function.
TFS-OPT4A-CUSTOM	Install customer supplied light bar (Mounted on optional High headboard or Aluminium roof bar - not included)
TFS-OPT4A-LED	Two high visibility twin LED Blaze bars mounted on optional high mounted headboard
TFS-OPT4A-ROOF	Aluminium roof bar to suit cab mounted lights
TFS-OPT4B	Two LED rotating spinners (Hella 1611)
TFS-OPT4B-S	CODE3 XTP4AA Surface mount strobe fitted (EA)
TFS-OPT4C2	Two adjustable work lights mounted on headboard

EKEBOL

Tough - Reliable - Built to Last

Part Code	Description
TFS-OPT4C2-LED	Two HELLA "Power Beam 1500" LED work lights mounted on the headboard (Includes sealed hard wiring piping, switch in cab and on rear control panel)
TFS-OPT4D	One HELLA LED reversing spotlight mounted at rear
TFS-OPT4E	HELLA LED 350MM Driving Light Bar mounted on cab chassis. (Bulbar, aluminium roof bar or number plate provision mounted spotlight bracket)
TFS-OPT4F	Voltage reducer 24V-12V for towing caravans/trailers
TFS-OPT4G	Change standard LED tail lights to MAXILAMPS
TFS-OPT4G-L-JA	Additional pair of HELLA JUMBO-S LED stop/tail/turn lights mounted on headboard/ROPS
TFS-OPT4H	Rear mounted camera with 5" colour screen in cab
TFS-OPT4J-2	High Definition DVR recorder to SD card with 2 cameras
TFS-OPT4J-4	High Definition DVR recorder to Hard Drive with 4 cameras
TFS-OPT4J-4-REMOTE	High Definition 1TB SSD DVR with 4 cameras and remote access capable
TFS-OPT4K	Wireless Lightbar with emergency lights - installed with charging point
TFS-OPT5A-C-L	Hydraulic wheel lift mounted at the rear (cradle type - SPECIAL LOW WITH MAXI ADJUST) (available on TFS 4000, TFS 6000, and TFS 8000)
TFS-OPT5A-C-MAX	Hydraulic wheel lift mounted at the rear (cradle type with MAXI ADJUST) (available on TFS 4000, TFS 6000, and TFS 8000)
TFS-OPT5A-L	Hydraulic wheel lift mounted at the rear (L bar type) (available on TFS 4000, TFS 6000, and TFS 8000)
TFS-OPT5A-M	Hydraulic wheel lift mounted at the rear (mechano type) (available on TFS 4000, TFS 6000, and TFS 8000)
TFS-OPT5B-R	Removable adaptor with 50mm tow ball to fit optional wheel lift. NOTE TOWBALL RATING WILL BE DOWNRATED TO MATCH TRUCK GVM
TFS-OPT5C	Removable pintlehook/tow ball to fit optional wheel lift
TFS-OPT5C-HR	Removable Hayman-Reece style tow adaptor to fit optional wheel lift
TFS-OPT5C-M	Removable pintlehook/tow ball to fit optional MECHANO STYLE wheel lift
TFS-OPT5C-M-HR	Removable Hayman Reece Style tow adaptor to to fit optional MECHANO STYLE wheel lift
TFS-OPT5F-50B	Adjustable tow bar with 50mm Ball (available on TFS 4000, TFS 6000, TFS). Truck must be supplied with ABS compatible harness and plug by the dealer. NOTE: TOWBALL RATING WILL BE DOWNRATED TO MATCH TRUCK GVM
TFS-OPT5F-95BB	Adjustable tow bar with 95mm Bartlett Ball (available on TFS 4000, TFS 6000, TFS800, TFS12 and TFS16) Truck must be supplied with ABS compatible harness and plug by the dealer.
TFS-OPT5F-HR	Adjustable tow bar with Hayman Reece style receiver. Truck must be supplied with ABS compatible harness and plug by the dealer.
TFS-OPT5F-PHB	Adjustable tow bar with combined pintlehook (available on TFS 4000, TFS 6000, TFS800, TFS12 and TFS16). Truck must be supplied with ABS compatible harness and plug by the dealer.
TFS-OPT5G-B-L	Lockable Black Powder Coated Steel tool box (H500xD500xL1200) mounted on chassis with internal LED light

EKEBOL

Tough - Reliable - Built to Last

Part Code	Description
TFS-OPT5G-B-S	Lockable Black Powder Coated Steel tool box (H500xD500xL1000) mounted on chassis with internal LED light
TFS-OPT5G-B-XS	Lockable Black Powder Coated Steel tool box (H500xD500xL800) mounted on chassis with internal LED light
TFS-OPT5G-B-XS9	Lockable Black Powder Coated Steel tool box WITH STAINLESS STEEL LID (H450xD450xL900) mounted on chassis with internal LED light
TFS-OPT5G-B-XXS	Lockable Black Powder Coated Steel tool box (H400xD500xL600) mounted on chassis with internal LED light
TFS-OPT5G-B-XXXS	Lockable Black Steel tool box (H350xD400xL500) mounted on chassis with internal LED light
TFS-OPT5G-L	Lockable Stainless Steel tool box (H500xD500xL1200) mounted on chassis with internal LED light
TFS-OPT5G-S	Lockable Stainless Steel (Brushed) tool box (H500xD500xL1000) mounted on chassis with internal LED light
TFS-OPT5G-S(POL)	Lockable Stainless Steel (Bright) tool box (H500xD500xL1000) mounted on chassis with internal LED light
TFS-OPT5G-XS	Lockable Stainless Steel tool box (H500xD500xL800) mounted on chassis with internal LED light
TFS-OPT5G-XXXS	Lockable Stainless Steel tool box (H350xD400xL500) mounted on chassis with internal LED light
TFS-OPT5H-L	Shelf inside tool box (L1200)
TFS-OPT5H-S	Shelf inside tool box (L1000)
TFS-OPT5H-S9	Shelf inside tool box (L900)
TFS-OPT5H-XS	Shelf inside tool box (L800)
TFS-OPT5I-HD	HEAVY DUTY Aluminium ramps, 1.5m long (rated 1750kg each) to load low ground clearance cars
TFS-OPT5J	Chain bridle with forged J hooks and shortening grab hooks for pulling cars
TFS-OPT5K	Two rear tie down chains, c/w J hooks one end and grab hooks
TFS-OPT5L	Bridle sling with long forged J hooks
TFS-OPT5M	Bridle sling with short forged J hooks
TFS-OPT5O	Container pulling chain with centre ring
TFS-OPT5P	Container pulling chain without centre ring
TFS-OPT5R	Witches hat storage bracket mount on chassis.
TFS-OPT5R-C	Witches hat storage bracket mount on chassis for Large (700mm) hats
TFS-OPT5R-H	Witches hat storage bracket mount on headboard for large (700mm) hats mounted on headboard.
TFS-OPT5S	Wide load kit incl. rear spinner, flag sockets, framed sign and storage

EKEBOL

Tough - Reliable - Built to Last

Part Code	Description
TFS-OPT5S-S	Rear spinner wiring installation only
TFS-OPT5S-SS	Rear spinner (magnetic base type) and wiring installation only
TFS-OPT5T	Broom/shovel and rubbish bin storage, including implements
TFS-OPT5U	Supply 4 x Black Magic carrier skates
TFS-OPT5V-H	Two independently controlled hydraulic legs - HIGH HEIGHT - (Available on TFS 8000, 12, Standard on TFS16)
TFS-OPT5V-L	Two independently controlled hydraulic legs - LOW HEIGHT - (Available on TFS 8000)
TFS-OPT5W-MD3	Next Gen Ekebol Motor Cycle Dolly kit
TFS-OPT5Y	4.5kg ABE fire extinguisher mounted on headboard
TFS-OPT5Y-1.5	1.5kg ABE fire extinguisher mounted in cab
TFS-OPT5Y-9	9.0kg ABE fire extinguisher mounted on headboard (or ROPS if fitted)
TFS-OPT5Z	Flush fit Gooseneck Towball Kit - Installed into TFS tray body
TFS-OPT6A	Fully painted, with headboard and coamings painted in (white) 2K
TFS-OPT6B	Fully painted, with headboard and coamings painted in (single colour) 2K
TFS-OPT6C	Fully painted, with headboard and coamings painted in (metallic or other combination) 2K

NOTES

- a. **The rated capacities are for the recovery unit only, NOT VEHICLE CAPABILITY.**
- b. The ratings are in accordance with Australian practice.
- c. Ekebol Pty Ltd is continually striving to improve and update our product range. We reserve the right to change materials and specification without notice. Specifications are correct at the time of printing but may change without notice.